# **Artisan Aromatics**

THERAPEUTIC QUALITY ESSENTIAL OILS 58 Reed Rd, Fairview NC 28730 828-835-2231 www.ArtisanEssentialOils.com

# MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY TELEPHONE NO. (CHEMTREC): 800-424-9300 INTERNATIONAL EMERGENCY NO. (CHEMTREC): 703-527-3887 OTHER INFORMATION: 574-259-7000 / 574-546-4942

#### **IDENTIFICATION**

LABEL NAME:	LAVENDER 40/42, FRENCH	CAS NUMBER:	8000-28-0
CODE NUMBER:	N/A	FEMA NUMBER:	N/A
BOTANICAL NAME	Lavandula angustifolia	FDA NUMBER:	N/A

#### PHYSICAL DATA

APPEARANCE:	PALE YELLOW LIQUID		
SPECIFIC GRAVITY:	0.88	REFRACTIVE INDEX:	1.452
MELTING POINT:	N/F	BOILING POINT:	
VAPOR DENSITY:	N/F	VAPOR PRESSURE:	N/F
SOLUBILITY IN WATER:	INSOLUBLE	EVAPORATION RATE:	N/F

# FIRE, EXPLOSION AND REACTIVITY

FLASHPOINT:77 DEGREES C. CLOSED CUPSTABILITY:STABLE UNDER NORMAL CONDITIONS

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM

HEALTH: 0FLAMMABILITY: 0REACTIVITY: 0PERSONAL PROTECTION: 04 = EXTREME3 = HIGH2 = MODERATE1 = SLIGHT0 = NO SIGNIFICANT HAZARD

#### **EXTINGUISHING MEDIA**

WATER/FOG CARBON DIOXIDE FOAM DRY CHEMICAL

# SPECIAL FIRE FIGHTING PROCEDURE/UNUSUAL FIRE AND EXPLOSION HAZARDS:

NONE KNOWN. USE SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING

#### HAZARDOUS COMBUSTION/DECOMPOSITION PRODUCT:

BURNING PRODUCES CARBON MONOXIDE AND CARBON DIOXIDE

#### **HAZARDOUS POLYMERIZATION PROCUCT:**

WILL NOT OCCUR

# CONDITIONS AND MATERIALS TO AVOID:

ELEVATED TEMPERATURES ABOVE 60 DEGREES CENTIGRADE, AVOID STRONG OXIDIZING AGENTS

# **PROTECTION INFORMATION:**

RESPIRATORY PROTECTION:NOT USUALLY NECESSARY, BUT APPROVED RESPIRATOR CAN BE USED IF DESIREDEYE PROTECTION:USE SPLASH GOGGLESSKIN PROTECTION:USE CHEMICAL RESISTANT GLOVESVENTILATION:LOCALIZED EXHAUST CAN BE USED TO REMOVE VAPORSOTHER:EYE WASH STATION AND SAFETY SHOWER RECOMMENDED IN AREA

# **OCCUPATIONAL EXPOSURE LIMITS**

THRESHOLD LIMIT VALUE (TLV):N/FEFFECTS OF OVEREXPOSURE:REDNESS OF SKIN AND/OR EYESOSHA PERMISSIBLE EXPOSURE<br/>LIMIT (PEL):N/FHAS SUBSTANCE BEEN LISTED AS A<br/>CARCINOGEN:YES NO

# **HEALTH HAZARD INFORMATION**

-MAY BE IRRITATING TO SKIN AND EYES -VAPOR MAY BE IRRITATING TO THROAT AND LUNGS -BREATHING HIGH CONCENTRATIONS OF VAPOR MAY CAUSE ANESTHETIC EFFECTS -REPEATED CONTACT MAY CAUSE ALLERGIC DERMATITIS

# **EMERGENCY AND FIRST AID PROCEDURES**

INHALATION:REMOVE TO FRESH AIREYE CONTACT:FLUSH WATER FOR 15 MINUTESSKIN CONTACT:REMOVE CONTAMINATED CLOTHING AND WASH WITH SOAP AND WATERINGESTION:DRINK WATER OR MILK TO DILUTE, CONTACT POISON CONTROL

# SPILLS LEAKS AND DISPOSAL PROCEDURE

IF MATERIAL SHOULD BE SPILLED OR RELEASED: ELIMINATE FLAMES AND SOURCES OF IGNITION, WIPE UP SMALL SPILLS WITH A CLOTH, LARGER SPILLS USE PORUS ABSORBANT

WASTE DISPOSAL METHODS: FOLLOW STATE, LOCAL AND FEDERAL LAWS HANDLING AND SHIPPING PROCEDURES

HANDLE ACCORDING TO GOOD SAFETY PROCEDURES AVOIDING UNNECESSARY EXPOSURE. STORE IN FULL CLOSED CONTAINERS AWAY FROM HEAT, LIGHT AND SOURCES OF INGITION. STORE IN COOL AREA.

# **TRANSPORT INFORMATION**

DOT Classification: Not a DOT controlled material (United States). Identification: Not applicable. / Special Provisions for Transport: Not applicable

THE INFORMATION CONTAINED IN THIS MATERIAL SAFETY DATA SHEET WAS OBTAINED FROM CURRENT AND RELIABLE SOURCES. THIS DATA IS SUPPLIED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. IT IS THE USER'S RESPONSIBILITY TO DETERMINE SAFE CONDITIONS FOR USE OF THIS PRODUCT AND TO ASSUME LIABLITY FOR LOSS, INJURY, DAMAGE OR EXPENSE RESULTING FROM IMPROPER USE OF THIS PRODUCT.

Danger PHRASES / CODES:	R22 R65	CLICK TO DOWNLOAD DANGER INFORMATION
RISK PHRASES / CODES:	R22 R65	CLICK TO DOWNLOAD RISK INFORMATION
SAFETY PHRASES / CODES:	S62	CLICK TO DOWNLOAD SAFETY INFORMATION